A0	TITLE SHEET
A1	PERSPECTIVES
A2	FLOOR PLANS A
A3	ELECTRICAL & FRAMING PLAN
A4	ELEVATIONS & SECTIONS
A5	DETAILS & INTERIOR ELEVATIONS

PROJECT NOTES:

CONSTRUCTION SAFETY NOTE


ARCHITECT SHALL NOT BE RESPONSIBLE FOR CONSTRUCTION MEANS, TECHNIQUES, SEQUENCES, PROCEDURES, OR SAFETY PRECAUTIONS OR PROGRAMS. THESE ARE SOLELY THE CONTRACTOR'S RESPONSIBILITY.

OWNERSHIP OF DOCUMENTS

THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HERIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICES, IS THE PROPERTY OF FLINTLOCK LTD. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT WRITTEN AUTHORIZATION.

GENERAL NOTES

- 1. IF THE OWNER CONSENTS TO, ALLOWS, AUTHORIZES, OR APPROVES OF CHANGES TO THESE PLANS AND SPECIFICATIONS, AND THESE CHANGES ARE NOT APPROVED IN WRITING BY THE ARCHITECT, SUCH CHANGES BECOME WHOLLY THE RESPONSIBILITY OF THE OWNER.
- 2. CONTRACTOR SHALL HAVE ALL UTILITIES, ABOVE GROUND & UNDERGROUND, LOCATED. CONTRACTOR SHALL HAVE ALL PROPOSED UTILITY LOCATIONS VERIFIED PRIOR TO CONSTRUCTION.
- 3. CONSTRUCTION DRAWINGS AND SPECIFICATIONS ARE COMPLIMENTARY. CONTRACTOR TO CAREFULLY REVIEW ALL DRAWINGS, DETAILS, SPECIFICATIONS, & MANUFACTURER'S WRITTEN RECOMENDATIONS. IF THE CONTRACTOR DISCOVERS A DISCREPANCY BETWEEN THE DRAWINGS AND SPECIFICATIONS, HE SHALL NOTIFY THE ARCHITECT IN WRITING IN THE FORM OF A WRITTEN REQUEST FOR INFORMATION
- THE INFORMATION CONTAINED WITHIN THESE CONSTRUCTION DOCUMENTS IS ISSUED TO SHOW DESIGN INTENT AND BASIC FAMING DETAILS. BY ENTERING INTO A CONTRACT, THE GENERAL CONTRACTOR AND OWNER ASSUME ALL RESPONSIBILITY TO PERFORM ALL WORK WITHIN STANDARD CONSTRUCTION PRACTICES THAT ENSURE PROPER STRUCTURAL DETAILING, WEATHERPROOF CONSTRUCTION, AND QUALITY WORKMANSHIP. ALL CONSTRUCTION SHALL MEET OR EXCEED ALL APPLICABLE CODES AND STANDARDS. THE GENERAL CONTRACTOR AND OWNER SHALL NOTIFY CLASSIC AMERICAN HOUSE, LLC. IN WRITING IN THE FORM OF A WRITTEN RFI OF ANY DISCREPANCIES OR PROBLEMS, OBSERVED OR PERCIEVED, WITHIN THESE DOCUMENTS PRIOR TO PROCEEDING WITH WORK.
- 5. ALL DIMENSIONS TO FACE OF STUD, FACE OF BRICK, OR FACE OF FOUNDATION UNLESS INDICATED OTHERWISE.
- DIMENSIONS AND NOTES FOR A GIVEN CONDITION ARE
 TYPICAL FOR ALL SIMILAR CONDITIONS THROUGHOUT THE
 PROJECT.
- 7. SLOPE ALL GRADES AWAY FROM BUILDING.
- 8. OWNER SHALL HIRE A QUALIFIED GENERAL CONTRACTOR TO PERFORM ALL WORK. ALL WORK TO BE IN ACCORDANCE WITH LOCAL, STATE, AND NATIONAL CODES AND ALL MATERIALS SHALL BE STORED AND INSTALLED AS PER MANUFACTURER'S WRITTEN RECOMMENDATIONS.
- 9. ARCHITECT SHALL NOT BE RESPONSIBLE FOR CONSTRUCTION MEANS, TECHNIQUES, SEQUENCES, PROCEDURES, OR SAFETY PRECAUTIONS OR PROGRAMS. THESE ARE SOLEY THE RESPONSIBILITY OF THE CONTRACTOR.



BERKELEY COTTAGE

BRIARTOWN COTTAGES

E-MAIL : rob @ sharparch . net	L:rob@sh	PHONE : 479.442.0229 E-MAI
72701	AR	FAYETTEVILLE
STE 300		100 W. CENTER ST
CK LLC	& BLC	COURTYARD BUILDING & BLOCK

COTTAGE

COMMUNITY DEVELOPMENT

CORPORATION OF BENTONVILLE


TO THE STATE WORK OF FLINTLOCK, LTD COLLC, THE DRAWINGS, SPECIFICATIONS SOCUMENTS PREPARED BY THE ARCHITECT FOR THIS PROJECT, AND THE ARCHITECT SHALL SERVICE FOR USE SOLELY WITH RESPECT TO THIS PROJECT, AND THE ARCHITECT SHALL STATE OF THE STATE OF THE


Project Number


8 JULY 2020


TITLE SHEET

A(










COMMUNITY DEVELOPMENT
CORPORATION OF BENTONVILLE
/ BELLA VIST INC. TAGE BERKELEY


COURTYARD BUILDING & BLOCK LLC
100 W. CENTERST STE300
FAYETTEVILLE AR 72701
PHONE: 479.442.0229 E-MAIL:rob@sharparch.net

Project Number 8 JULY 2020


PERSPECTIVES

A1





3 FIRST FLOOR - FURNITURE PLAN 1/4" = 1'-0"



FLOOR PLAN NOTES:

- AT CASED OPENING, JAMB AND HEADER TRIM TO MATCH INTERIOR DOOR TRIM.
- DOOR SIZES ARE NOTED ON DOOR SWINGS. 30X68 REFERS TO A DOOR THAT IS 3'-0" WIDE AND 6'-8" TALL. 30X50 REFERS TO A WINDOW THAT IS 3'-0' WIDE AND 5'-0" TALL.
- 3. INSTALL BATHROOM ACCESSORIES AS DIRECTED BY ARCHITECT PROVIDE 2X BLOCKING BEHIND GYPSUM BOARD AT ALL HANDRAILS, CABINETS, CLOSET RODS, & ALL OTHER WALL MOUNTED ACCESSORIES.
- 4. PROVIDE HVAC & WATER HEATER PLATFORMS AND ACCESS PANELS AS DIRECTED BY HVAC & PLUMBING SUBCONTRACTORS.
- 5. PROVIDE 16 SEER HEAT PUMP.
- 6. PPROVIDE MINIMUM R13 WALL INSULATION, R38 CEILING INSULATION, AND 11. R10 SLAB INSULATION. CALK AND SEAL ALL CRACKS.
- PROVIDE TEMPERED WINDOWS AT LOCATION REQUIRED BY I.R.C. LATEST 12. ADDITION.
- ADJUST FRAMING AS NECESSARY FOR TUB AND SHOWER ENCLOSURES, DOOR AND WINDOW TRIM, CABINETS, APPLIANCES AND ANY OTHER ITEM THAT HAS CLEARANCE REQUIREMENTS.
- 9. SET INTERIOR DOOR LOCATIONS TO ALLOW 6" OF WALL SPACE ON EACH 14. WALLS CONTAINING PLUMBING PIPES GREATER THAN 2 1/2" DIAMETER SIDE OF THE DOOR FOR TRIM, UNLESS INDICATED OTHERWISE. CENTER TO BE 2X6 STUDS. DOORS AS INDICATED ON PLANS. AT AREAS WHERE DOOR CASING TRIM MUST BE RIPPED DOWN, SET DOOR SO THAT DOOR CASING TRIM IS OF EQUAL MIDTH ON EACH SIDE OF THE DOOR. ROUGH-IN ELECTRICAL BOXES
- COORDINATE ALL APPLIANCE DIMENSIONS WITH ARCHITECT PRIOR TO BEGINNING FRAMING.

TO ALLOW 4" OF DOOR CASING ON EACH SIDE OF DOOR.

- PROVIDE COMPLETE CABINET DRAWINGS FOR APPROVAL BY ARCHITECT.
- PROVIDE PRESSURE TREATED SILLS AT ALL CONCRETE SLABS. THICKEN SLAB AT ALL INTERIOR LOAD BEARING WALLS.
- EXTERIOR FRAME WALLS TO BE 2X4" AT 16" ON CENTER, UNLESS INDICATED OTHERWISE. INTERIOR WALLS TO BE 2X4 AT 16" ON CENTER, UNLESS INDICATED OTHERWISE.
- 15. INTERIOR WALLS TO HAVE 1/2" GYPSUM BOARD SLICK FINISH.

B


Project Number 8 JULY 2020


FLOOR PLANS A

ELECTRICAL & LIGHTING NOTES


- I. ALL WIRING TO MEET N.E.C. AND ALL STATE AND LOCAL CODES.
 ELECTRICAL CONTRACTOR TO REVIEW INSTILLATION OF ALL
 ELECTRICAL, POWER, AND LIGHTING COMPONENTS WITH BUILDING
 INSPECTOR PRIOR TO INSTALLATION.
- COUNTER HEIGHT RECEPTACLES TO BE AT 42" ABOVE FLOOR.
- COORDINATE INSTALLATION OF ELECTRICAL DEVICES IN CABINETRY WITH CABINET MAKER FOR PROPER CLEARANCE.


 DEVICES INSTALLED IN CABINETS SHALL BE CENTERED ON THE PANEL OR STILE IN WHICH THEY ARE LOCATED AND HIDDEN FROM VIEW AS MUCH AS POSSIBLE.
- 4. ALL EXTERIOR RECEPTACLES AND LIGHTING FIXTURES SHALL BE WEATHER RESISTANT AND RATED FOR OUTDOOR USE.
- ALL LIGHTING FIXTURES SHALL BE SELECTED BY OWNER MITHIN THE LIGHTING ALLOWANCE PROVIDED IN THE SPECIFICATIONS.
- 6. BATHROOM EXHAUST FANS SHALL BE LOW NOISE UNITS AND SHALL BE VENTED TO THE OUTSIDE.
- 7. LOCATE PANEL BOX AS INDICATED ON THE PLANS. REVIEW INSTALLATION OF PANEL BOX WITH LOCAL BUILDING INSPECTOR PRIOR TO INSTALLATION. IF ELECTRICAL BOX MUST BE RELOCATED, COORDINATE REVISED LOCATION WITH ARCHITECT.
- 8. LOCATE ELECTRICAL METER AND SERVICE ENTRANCE AS INDICATED ON THE PLANS. REVIEW INSTALLATION OF ELECTRICAL METER WITH ELECTRICAL UTILITY COMPANY. IF THE ELECTRICAL METER AND SERVICE ENTRANCE MUST BE RELOCATED, COORDINATE REVISED LOCATION WITH ARCHITECT.
- 9. PROVIDE POWER AND UTILITY HOOKUPS FOR ALL APPLIANCES, INCLUDING RANGE REFRIGERATOR, WASHER, DRYER, VENT HOOD, AND MICROWAVE OVEN. BUILDER SHALL COORDINATE ALL APPLIANCE SELECTIONS WITH THE OWNER AND PROVIDE THIS INFORMATION TO THE ELECTRICAL CONTRACTOR.
- 10. BUILDER TO COORDINATE INSTALLATION OF TELEVISION CABLE, TELEPHONE WIRING, AND ALL OTHER DATA CABLING WITH THE UTILITY COMPANIES AND THE OWNER. PROVIDE A COMPLETE INSTALLATION OF THESE ITEMS AND SYSTEMS.
- 11. BUILDER TO PROVIDE CONCEALED BLOCKING FOR ALL LIGHT FIXTURES AND ELECTRICAL DEVICES. BLOCKING FOR WALL MOUNTED LIGHTING SHOULD BE LOCATED SO THAT THE FIXTURES CAN BE CENTERED ON LAVATORIES OR AS OTHERWISE INDICATED ON
- 12. PROVIDE LIGHTING WITHIN ALL ATTIC AND CRAWL SPACES, LOCATE SWITCHES AD IACENT TO ATTICK ACCESS PANELS
- 13. RECEPTACLES ABOVE COUNTERTOPS IN KITCHEN SHALL BE STAINLESS STEL SMITCHPLATES MITH BLACK DEVICES. THE BUILDER SHALL CONFIRM COLOR OF DEVICES AND SMITCHPLATES WITH THE OMNER PRIOR TO INSTALLATION OF DEVICES.
- 14. SMOKE DETECTORS SHALL BE HARD WIRED AND HAVE BATTERY BACK UP. SMOKE DETECTORS AND ALARMS SHALL BE INTERCONNECTED.
- 15. PROVIDE SECURITY ALARM WIRING AS REQUESTED BY OWNER
- 16. PROVIDE AUDIO VISUAL AND BUILT-IN SPEAKER WIRING AS REQUESTED BY OWNER.
- 17. ELECTRICAL CONTRACTOR SHALL PROVIDE POWER FOR ALL H.V.A.C. EQUIPMENT INSIDE AND OUTSIDE THE HOUSE. ELECTRICAL CONTRACTOR TO COORDINATE ELECTRICAL REQUIREMENTS WITH MECHANICAL CONTRACTOR AND THE BUILDER.





1 FIRST FLOOR ELECTRICAL PLAN
1/4" = 1'-0"





ROOF FRAMING PLAN NOTES :

- PROVIDE CEILING JOISTS AS NECESSARY TO CREATE CEILING HEIGHTS NOTED ON FLOOR
- 1/2" PLYWOOD ROOF DECKING.
 REFER TO RAKE, SOFFIT, & FASCIA DETAILS FOR OVERHANG, RAFTER CUTS, & BLOCKING.

BERKELLEYCOTTAGE

WORK OF FLINTLOCK, LTD CO.LLC. THE DRAWINGS, SPECIFICATIONS

ED BY THE ARCHITECT FOR THIS PROJECT ARE INSTRUMENTS OF THE
COLLC. THE DRAWINGS, SPECIFICATIONS

COMMUNITY DEVELOPMENT

CORPORATION OF BENTONVILLE

CORPORATION OF BENTONVILLE

// BELLA VIST INC.

TYARD BUILDING & BLOCK LI
W. CENTER ST STE30
ETTEVILLE AR 7270


Project Number

8 JULY 2020


ELECTRICAL &


FRAMING PLAN


A3





9 CROSS SECTION 1/4" = 1'-0"





















COURTYARD BUILDING & BLOCK LLC	PMENT 100 W. CENTER ST	ONVII, I, E, FAYETTEVILLE	PHONE : 479.442.0229
IILDING & BLO	R ST	LLE AR	E-MAIL:rob@sl
OCK LLC	STE 300	72701	E-MAIL:rob@sharparch.net

BEKKELEY COLLAGE

Project Number

8 JULY 2020

ELEVATIONS & SECTIONS



INTERIOR **A5**

8 JULY 2020 DETAILS & **ELEVATIONS**

Project Number

B

CORPORATION (
/ BELLA

