TITLE SHEET	A0
PERSPECTIVES	A1
FLOOR PLANS	A2
ELECTRICAL AND FURNITURE PLAN	A3
ELEVATIONS	A5
SECTIONS	A6
FOUNDATION AND FRAMING PLANS	A4
DETAILS	A7
DETAILS	A8

PROJECT NOTES:

CONSTRUCTION SAFETY NOTE

ARCHITECT SHALL NOT BE RESPONSIBLE FOR CONSTRUCTION MEANS, TECHNIQUES, SEQUENCES, PROCEDURES, OR SAFETY PRECAUTIONS OR PROGRAMS. THESE ARE SOLELY THE CONTRACTOR'S RESPONSIBILITY.

OWNERSHIP OF DOCUMENTS

THIS DOCUMENT, AND THE IDEAS AND DESIGNS INCORPORATED HERIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICES, IS THE PROPERTY OF COURTYARD, BUILDING & BLOCK L.L.C. AND IS NOT TO BE USED, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT WRITTEN AUTHORIZATION.

GENERAL NOTES

- 1. IF THE OWNER CONSENTS TO, ALLOWS, AUTHORIZES, OR APPROVES OF CHANGES TO THESE PLANS AND SPECIFICATIONS, AND THESE CHANGES ARE NOT APPROVED IN WRITING BY THE ARCHITECT, SUCH CHANGES BECOME WHOLLY THE RESPONSIBILITY OF THE OWNER.
- 2. CONTRACTOR SHALL HAVE ALL UTILITIES, ABOVE GROUND & UNDERGROUND, LOCATED. CONTRACTOR SHALL HAVE ALL PROPOSED UTILITY LOCATIONS VERIFIED PRIOR TO CONSTRUCTION.
- 3. CONSTRUCTION DRAWINGS AND SPECIFICATIONS ARE COMPLIMENTARY. CONTRACTOR TO CAREFULLY REVIEW ALL DRAWINGS, DETAILS, SPECIFICATIONS, & MANUFACTURER'S WRITTEN RECOMENDATIONS. IF THE CONTRACTOR DISCOVERS A DISCREPANCY BETWEEN THE DRAWINGS AND SPECIFICATIONS, HE SHALL NOTIFY THE ARCHITECT IN WRITING IN THE FORM OF A WRITTEN REQUEST FOR INFORMATION (RFI).
- 4. THE INFORMATION CONTAINED WITHIN THESE CONSTRUCTION DOCUMENTS IS ISSUED TO SHOW DESIGN INTENT AND BASIC FRAMING DETAILS. BY ENTERING INTO A CONTRACT, THE GENERAL CONTRACTOR AND OWNER ASSUME ALL RESPONSIBILITY TO PERFORM ALL WORK WITHIN STANDARD CONSTRUCTION PRACTICES THAT ENSURE PROPER STRUCTURAL DETAILING, WEATHERPROOF CONSTRUCTION, AND QUALITY WORKMANSHIP. ALL CONSTRUCTION SHALL MEET OR EXCEED ALL APPLICABLE CODES AND STANDARDS. THE GENERAL CONTRACTOR AND OWNER SHALL NOTIFY CLASSIC AMERICAN HOUSE, LLC. IN WRITING IN THE FORM OF A WRITTEN RFI OF ANY DISCREPANCIES OR PROBLEMS, OBSERVED OR PERCIEVED, WITHIN THESE DOCUMENTS PRIOR TO PROCEEDING WITH WORK.
- 5. ALL DIMENSIONS TO FACE OF STUD, FACE OF BRICK, OR FACE OF FOUNDATION UNLESS INDICATED OTHERWISE.
- 6. DIMENSIONS AND NOTES FOR A GIVEN CONDITION ARE
 TYPICAL FOR ALL SIMILAR CONDITIONS THROUGHOUT THE
 PROJECT
- 7. SLOPE ALL GRADES AWAY FROM BUILDING.
- 8. OWNER SHALL HIRE A QUALIFIED GENERAL CONTRACTOR TO PERFORM ALL WORK. ALL WORK TO BE IN ACCORDANCE WITH LOCAL, STATE, AND NATIONAL CODES AND ALL MATERIALS SHALL BE STORED AND INSTALLED AS PER MANUFACTURER'S WRITTEN RECOMMENDATIONS.
- 9. ARCHITECT SHALL NOT BE RESPONSIBLE FOR CONSTRUCTION MEANS, TECHNIQUES, SEQUENCES, PROCEDURES, OR SAFETY PRECAUTIONS OR PROGRAMS. THESE ARE SOLEY THE RESPONSIBILITY OF THE CONTRACTOR.



RALEIGH COTTAGE

BRIARTOWN COTTAGES

OCK LLC	STE 300	72701	E-MAIL:rob@sharparch.net
& BLC		AR	.rob@sh
COURTYARD BUILDING & BLOCK LLC	100 W. CENTER ST	FAYETTEVILLE	PHONE : 479.442.0229 E-MAIL

CORPORATION OF BENTONVILLI


RIGHT NOTICE: THIS IS THE WORK OF COURTYARD BUILDING AND BLOCK LLC. THE DRAWINGS SIFICATIONS, AND OTHER DOCUMENTS PREPARED BY THE ARCHITECT FOR THIS PROJECT ARE ARCHITECTS SERVICE FOR USE SOLELY WITH RESPECT TO THIS PROJECT, A ARCHITECT SHALL BE DEEMED THE AUTHOR OF THESE DOCUMENTS AND SHALL REATAIN ALL AND STATITORY AND OTHER PESFRAFO RIGHTS. INCLUDING COPYRIGHT


Project Number 8 JULY 2020


TITLE SHEET


AC













COURTYARD BUILDING & BLOCK LLC
100 W. CENTERST STE 300
FAYETTEVILLE AR 72701
PHONE: 479.442.0229 E-MAIL:rob@sharparch.net T A G E

COMMUNITY DEVELOPMENT

CORPORATION OF BENTONVILLE


/ BELLA VISTA INC.


RALEIGH


8 JULY 2020 PERSPECTIVES

Project Number

A1







RAKE

RAKE

1 FIRST FLOOR PLAN 1/4" = 1'-0"

2 SECOND FLOOR PLAN
1/4" = 1'-0"

3 ROOF PLAN 1/4" = 1'-0"

FLOOR PLAN NOTES:

- 1. AT CASED OPENING, JAMB AND HEADER TRIM TO MATCH INTERIOR DOOR TRIM.
- 2. DOOR SIZES ARE NOTED ON DOOR SWINGS. 30X68 REFERS TO A DOOR THAT IS 3'-0" WIDE AND 6'-8" TALL. 30X50 REFERS TO A WINDOW THAT IS 3'-0' WIDE AND 5'-0" TALL.
- 3. INSTALL BATHROOM ACCESSORIES AS DIRECTED BY ARCHITECT PROVIDE 2X BLOCKING BEHIND GYPSUM BOARD AT ALL HANDRAILS, CABINETS, CLOSET RODS, & ALL OTHER WALL MOUNTED ACCESSORIES.
- 4. STAIR TO BE EQUAL RISERS, RISERS DO NOT EXCEED 7 1/2". TREADS TO BE 10 1/2" WITH 3/4" NOSING. CALCULATE FLOOR FINISHES SO THAT ALL RISERS ARE EQUAL AFTER INSTILLATION OF FLOOR FLINISHES.
- 5. PROVIDE HVAC & WATER HEATER PLATFORMS AND ACCESS PANELS AS DIRECTED BY HVAC & PLUMBING SUBCONTRACTORS.
- PROVIDE 16 SEER HEAT PUMP. PLACE SUPPLY DUCTS IN 2ND TRUSSES WITHIN THE INSULATED ENVOLOPE OF THE HOUSE. PROVIDE A LOW RETURN ON FIRST FLOOR AND A RETURN ON THE SECOND FLOOR AND INSTALL A SEASONAL DAMPER.
- 7. PPROVIDE MINIMUM R13 WALL INSULATION, R38 CEILING INSULATION, AND 13. R10 SLAB INSULATION. CALK AND SEAL ALL CRACKS.
- 8. PROVIDE TEMPERED WINDOWS AT LOCATION REQUIRED BY I.R.C. LATEST 14.
- 9. ADJUST FRAMING AS NECESSARY FOR TUB AND SHOWER ENCLOSURES, DOOR AND WINDOW TRIM, CABINETS, APPLIANCES AND ANY OTHER ITEM THAT HAS CLEARANCE REQUIREMENTS.
- O. SET INTERIOR DOOR LOCATIONS TO ALLOW 6" OF WALL SPACE ON EACH SIDE OF THE DOOR FOR TRIM, UNLESS INDICATED OTHERWISE. CENTER DOORS AS INDICATED ON PLANS. AT AREAS WHERE DOOR CASING TRIM MUST BE RIPPED DOWN, SET DOOR SO THAT DOOR CASING TRIM IS OF EQUAL WIDTH ON EACH SIDE OF THE DOOR. ROUGH-IN ELECTRICAL BOXES TO ALLOW 4" OF DOOR CASING ON EACH SIDE OF DOOR.
- 11. COORDINATE ALL APPLIANCE DIMENSIONS WITH ARCHITECT PRIOR TO BEGINNING FRAMING.
- 12. PROVIDE COMPLETE CABINET DRAWINGS FOR APPROVAL BY ARCHITECT.

- 13. PROVIDE PRESSURE TREATED SILLS AT ALL CONCRETE SLABS. THICKEN SLAB AT ALL INTERIOR LOAD BEARING WALLS.
- 14. EXTERIOR FRAME WALLS TO BE 2X4" AT 16" ON CENTER, UNLESS INDICATED OTHERWISE. INTERIOR WALLS TO BE 2X4 AT 16" ON CENTER, UNLESS INDICATED OTHERWISE.
- 15. WALLS CONTAINING PLUMBING PIPES GREATER THAN 2 1/2" DIAMETER TO BE 2X6 STUDS.
- 16. INTERIOR WALLS TO HAVE 1/2" GYPSUM BOARD SLICK FINISH.

9" / 1'-0"

ALL PLUMBING VENT
PENETRATIONS TO
BE IN THIS AREA.
PALIMBING VENTS
TO MATCH ROOF
SHINGLE COLOR

R A L E $_{\rm P}$

CORPORATION (
/ BELLA V

COURTYARD BUILDING & BLOCK LL
100 W. CENTER ST
FAYETTEVILLE AR 7270


Project Number 8 JULY 2020

FLOOR PLANS

A2

ELECTRICAL & LIGHTING NOTES

- ALL WIRING TO MEET N.E.C. AND ALL STATE AND LOCAL CODES. ELECTRICAL CONTRACTOR TO REVIEW INSTILLATION OF ALL ELECTRICAL, POWER, AND LIGHTING COMPONENTS WITH BUILDING INSPECTOR PRIOR TO INSTALLATION.
- COUNTER HEIGHT RECEPTACLES TO BE AT 42" ABOVE FLOOR.
- COORDINATE INSTALLATION OF ELECTRICAL DEVICES IN CABINETRY WITH CABINET MAKER FOR PROPER CLEARANCE. DEVICES INSTALLED IN CABINETS SHALL BE CENTERED ON THE PANEL OR STILE IN WHICH THEY ARE LOCATED AND HIDDEN FROM VIEW AS MUCH AS POSSIBLE.
- ALL EXTERIOR RECEPTACLES AND LIGHTING FIXTURES SHALL BE WEATHER RESISTANT AND RATED FOR OUTDOOR USE.
- ALL LIGHTING FIXTURES SHALL BE SELECTED BY OWNER WITHIN THE LIGHTING ALLOWANCE PROVIDED IN THE SPECIFICATIONS.
- BATHROOM EXHAUST FANS SHALL BE LOW NOISE UNITS AND SHALL BE VENTED TO THE OUTSIDE.
- LOCATE PANEL BOX AS INDICATED ON THE PLANS. REVIEW INSTALLATION OF PANEL BOX WITH LOCAL BUILDING INSPECTOR PRIOR TO INSTALLATION. IF ELECTRICAL BOX MUST BE RELOCATED, COORDINATE REVISED LOCATION WITH ARCHITECT.
- LOCATE ELECTRICAL METER AND SERVICE ENTRANCE AS INDICATED ON THE PLANS. REVIEW INSTALLATION OF ELECTRICAL METER WITH ELECTRICAL UTILITY COMPANY. IF THE ELECTRICAL METER AND SERVICE ENTRANCE MUST BE RELOCATED, COORDINATE REVISED LOCATION WITH ARCHITECT.
- PROVIDE POWER AND UTILITY HOOKUPS FOR ALL APPLIANCES, INCLUDING RANGE REFRIGERATOR, WASHER, DRYER, VENT HOOD, AND MICROWAVE OVEN. BUILDER SHALL COORDINATE ALL APPLIANCE SELECTIONS WITH THE OWNER AND PROVIDE THIS INFORMATION TO THE ELECTRICAL CONTRACTOR.
- BUILDER TO COORDINATE INSTALLATION OF TELEVISION CABLE, TELEPHONE WIRING, AND ALL OTHER DATA CABLING WITH THE UTILITY COMPANIES AND THE OWNER. PROVIDE A COMPLETE INSTALLATION OF THESE ITEMS AND SYSTEMS.
- BUILDER TO PROVIDE CONCEALED BLOCKING FOR ALL LIGHT FIXTURES AND ELECTRICAL DEVICES. BLOCKING FOR WALL MOUNTED LIGHTING SHOULD BE LOCATED SO THAT THE FIXTURES CAN BE CENTERED ON LAVATORIES OR AS OTHERWISE INDICATED ON PLANS.
- PROVIDE LIGHTING MITHIN ALL ATTIC AND CRAML SPACES. LOCATE SWITCHES ADJACENT TO ATTICK ACCESS PANELS.
- RECEPTACLES ABOVE COUNTERTOPS IN KITCHEN SHALL BE STAINLESS STEL SWITCHPLATES WITH BLACK DEVICES. THE BUILDER SHALL CONFIRM COLOR OF DEVICES AND SWITCHPLATES WITH THE OWNER PRIOR TO INSTALLATION OF DEVICES.
- SMOKE DETECTORS SHALL BE HARD WIRED AND HAVE BATTERY BACK UP. SMOKE DETECTORS AND ALARMS SHALL BE INTERCONNECTED.
- PROVIDE SECURITY ALARM WIRING AS REQUESTED BY OWNER
- PROVIDE AUDIO VISUAL AND BUILT-IN SPEAKER WIRING AS REQUESTED BY OWNER.
- ELECTRICAL CONTRACTOR SHALL PROVIDE POWER FOR ALL H.V.A.C. EQUIPMENT INSIDE AND OUTSIDE THE HOUSE. ELECTRICAL CONTRACTOR TO COORDINATE ELECTRICAL REQUIREMENTS WITH MECHANICAL CONTRACTOR AND THE BUILDER.



 $$_2$$ TWO WAY SWITCH

RECEPTACLE, 18" A.F.F → RECEPETACLE WITH

GF GROUND FAULT CIRCUIT INTERRUPTER PROTECTION

RECEPTACLE, 42" A.F.F

1/2 HOT SWITCHED RECEPTACLE THERMOSTAT

FLOOR MOUNTED RECEPTACLE EXHAUST FAN / LIGHT

QUAD RECEPTACLE CEILING MOUNTED RECEPTACLE

D TELEPHONE


D+ CABLE TV

NETWORK / DATA

DOORBELL BUTTON

GD GARAGE DOOR OPENER

UNDER COUNTER FLOURESCENT STRIP



4 P WALL MOUNTED

EXHAUST FAN / LIGHT

S SMOKE DETECTOR/ ALARM

-(P)- PENDANT MOUNTED LIGHT


RECESSED DIRECTIONAL LIGHT

-(S)- CEILING MOUNTED SPEAKER


R RECESSED LIGHT

D DOOR BELL CHIME


EXHAUST FAN




1 FIRST FLOOR ELECTRICAL PLAN 1/4" = 1'-0"




2 SECOND FLOOR ELECTRICAL PLAN
1/4" = 1'-0" 1/4" = 1'-0"



3 FIRST FLOOR FURNITURE PLAN 1/4" = 1'-0"



4 SECOND FLOOR FURNITURE PLAN
1/4" = 1'-0"



Project Number 8 JULY 2020 ELECTRICAL AND

TYARD BUILDING & E

W. CENTER ST

ETTEVILLE


AA42,0229

COMMUNITY CORPORATION (

COPYRIGHT NOTICE: THIS IS THE WORK OF COURTYARD BUILDING AND BLOCK LLC. THE DRAWING: SPECIFICATIONS, AND OTHER DOCUMENTS PREPARED BY THE ARCHITECT FOR THIS PROJECT ARE INSTRUMENTS OF THE ARCHITECT'S SERVICE FOR USE SOLELY WITH RESPECT TO THIS PROJECT, THE ARCHITECT SHALL BE DEEMED THE AUTHOR OF THESE DOCUMENTS AND SHALL REATAIN ALL COMMON LAW, STATUTORY AND OTHER RESERVED RIGHTS, INCLUDING COPYRIGHT.

 \simeq

FURNITURE PLAN



COURTYARD BUILDING & BLOCK LLC
100 W. CENTERST

FAYETTEVILLE
PHONE: 479,42,0229

E-MAIL:rob@sharparch.net V DEVELOPMENT
V OF BENTONVILLE
V VISTA INC. F A G E

COMMUNITY I

CORPORATION (

/BELLA 1

Project Number


8 JULY 2020 FOUNDATION AND FRAMING PLANS


FLOOR FRAMING PLAN NOTES

PROVIDE CHASES FOR DUCT RUNS WITHIN THE TRUSS WEB. INSTALL FUR DOWNS OF CEILING JOISTS TO CREATE CEILING HEIGHTS AS NOTED ON THE FLOOR PLANS.

3/4" FLOOR DECKING SECOND FLOOR TRUSSES AT 24" O.C. FIRST FLOOR JOISTS AT 16" O.C.

16' - 0"





4 ROOF FRAMING PLAN 1/4" = 1'-0"

ROOF FRAMING PLAN NOTES :

PROVIDE CEILING JOISTS AS NECESSARY TO CREATE CEILING HEIGHTS NOTED ON FLOOR PLAN.
 1/2" PLYWOOD ROOF DECKING.

REFER TO RAKE, SOFFIT, & FASCIA DETAILS FOR OVERHANG, RAFTER CUTS, & BLOCKING.

— 2X10 JOISTS AT 16" O.C. — 2X10 JOISTS AT 16" O.C. -14' - *0*"

2 FIRST FLOOR FRAMING PLAN 1/4" = 1'-0"

3 SECOND FLOOR FRAMING PLAN 1/4" = 1'-0"

7' - 0" 7' - 0" 1) FOUNDATION PLAN 1/4" = 1'-0"

FOUNDATION LAYOUT NOTES:

1. REFER TO SITE PLAN FOR FINISH FLOOR
ELEVATION OF HOUSE


PROVIDE FOUNDATION SYSTEM AS PER GEOTECHNICAL ENGINEER'S RECOMMENDATION


16' - 0"


Project Number 8 JULY 2020 **ELEVATIONS**


A5

4 WEST ELEVATION 1/4" = 1'-0"













3 EAST ELEVATION 1/4" = 1'-0"





BUNKROOM

KITCHEN

- CEILING JOIST AT 8' - 1" ABOVE FIRST RLOOR

MAIN ROOF STRUCTURE BEARING AT 6' - 0" ABV FLR

SECOND FLOOR TRUSS BEARING AT 9' - 1" ABV FLOOR

SECOND FLOOR

BEDROOM

LIVING

COURTYARD BUILDING & BLOCK LLC
100 W. CENTERST STE300
FAYETTEVILLE AR 72701
PHONE: 479.442.0229 E-MAIL:rob@sharparch.net

- CEILING JOIST AT 8 - 1" ABOVE FIRST RLOOR

MAIN ROOF STRUCTURE BEARING AT 6 - 0" ABV FLR

SECOND FLOOR TRUSS BEARING AT 9' - 1" ABV FLOOR

SECOND FLOOR

BEDROOM

LIVING ROOM

COTTAGE	CORPORATION OF BENTONVILLE / BELLA VISTA INC.
RALEIGH COT	COPYRIGHT NOTICE : THIS IS THE WORK OF COURTYARD BUILDING AND BLOCK LLC. THE DRAWINGS, SPECIFICATIONS, AND OTHER DOCUMENTS PREPARED BY THE ARCHITECT FOR THIS PROJECT ARE INSTRUMENTS OF THE ARCHITECT'S SERVICE FOR USE SOLELY WITH RESPECT TO THIS PROJECT, AND THE ARCHITECT SHALL BE DEEMED THE AUTHOR OF THESE DOCUMENTS AND SHALL REATAIN ALL COMMON LAW, STATUTORY AND OTHER RESERVED RIGHTS, INCLUDING COPYRIGHT.


	ECT SHALL BE DEEMED THE AUTHOR OF THESE DOCUMENTS AND SHALL REATAIN ALL W. STATITORY AND OTHER RESERVED BIGHTS INCLUDING CORVINGE
CORDOR A TION	TS OF THE ARCHITECT'S SERVICE FOR USE SOLELY WITH RESPECT TO THIS PROJECT, AND
COMMUNIT	NOTICE : THIS IS THE WORK OF COURTYARD BUILDING AND BLOCK LLC. THE DRAWINGS, ONS, AND OTHER DOCUMENTS PREPARED BY THE ARCHITECT FOR THIS PROJECT ARE
r A G E	RALEIGH COTTAGE
にてく	ECC II CILI I Y F

Project Number


8 JULY 2020

SECTIONS


1 KITCHEN CABINET ELEVATION 1/2" = 1'-0"




3 ISLAND ELEVATION 3/4" = 1'-0"




4 ISLAND FRONT ELEVATION 3/4" = 1'-0"



2 ISLAND SIDE ELEVATION 3/4" = 1'-0"





Project Number


8 JULY 2020


DETAILS


R


COMMUNITY CORPORATION (


COURTYARD BUILDING & BLOCK LL
100 W. CENTER ST
FAYETTEVILLE AR 7270



















6 1 - 1/2" = 1' - 0"





7	PORCH FLOOR AND RAILING DETAIL
<u>'</u>	1 - 1/2" = 1' - 0"

COL	DRAWINGS, JJECT ARE PROJECT, AND
RALEIGH COTT	COPYRIGHT NOTICE: THIS IS THE WORK OF COURTYARD BUILDING AND BLOCK LLC. THE DRAWINGS, SPECIFICATIONS, AND OTHER DOCUMENTS PREPARED BY THE ARCHITECT FOR THIS PROJECT ARE INSTRUMENTS OF THE ARCHITECT'S SERVICE FOR USE SOLELY WITH RESPECT TO THIS PROJECT, AND THE ARCHITECT SHALL BE DEEMED THE AUTHOR OF THESE DOCUMENTS AND SHALL REATAIN ALL COMMON LAW. STATUTORY AND OTHER RESERVED RIGHTS. INCLUDING COPYRIGHT.

TYARD BUILDING & BLOCK
W. CENTER ST
ETTEVILLE
AR 72

/ DEVELOPMENT
I OF BENTONVILLE
VISTA INC.

COMMUNITY CORPORATION (

Project Number	
8 JULY 2020	
DETAILS	